

# INDEX MAPS.

**T. 22N. R. 15E. 2<sup>nd</sup> Mer.**

	324		325		325		325		325		326	
							304					
328	6	348	5	346	4	345	3	339	2	344	324	1
	348		347		345	336	339		243	344		
			345									
328	7	347	8		9	336	10	339	11	343	324	12
			333									
	347		346	333		336		338		342	343	
		346										
327	18	330	17	333	16	335	15	338	14	342	323	13
	330		332		335		338		342	342		
327	19	330	20	332	21	335	22	338	23	341	323	24
	329		331		334		337		341	341		
326	30	329	29	331	28	334	27	338	26	340	322	25
	329		331		334		337		340	340		
							349					
										340		
326	31	328	32	331	33	334	34	337	35			36
	321		321		321		321		322			

**T. 23N. R. 15E. 2<sup>nd</sup> Mer.**

	352	353	353	353							
355	6	359	5	363	4	367	3	371	2	375	1
	359		363		366		370		375	375	
355	7	358	8	362	9	366	10	370	11	375	12
	358		362		366		370		374	374	
355	18	358	17	361	16	365	15	369	14	374	13
	357		361		365		369		373	374	
354	19	357	20	361	21	365	22	369	23	373	24
	357		361		364		368		373	373	
354	30	356	29	360	28	364	27	368	26	372	25
	356		360		364		368		371	372	
354	31	356	32	359	33	363	34	367	35	372	36
	351		351		351		352		352	351	

The figures on the lines refer to the page.

Township 23 North Range 15 East, 2<sup>nd</sup> Mer. Ind.

Ch. 1st

South Boundary.

Var. ...

West On S. side of Sec. 36.

19.00 a Spring 9<sup>th</sup> wide course S.W.

25.00 a Brook 25<sup>th</sup> wide " N.

40.00 Set q. sec. post, from which  
an Ash 8 in. dia. bears N 71 E, 19<sup>th</sup> dist.  
a Beech 24 " " " S 59 W, 22 " "

46.82 Intersect Boundary (Old Indian)

112<sup>th</sup> S.W. of temp. post & set post  
from which

a Hickory 12 in. dia. bears East, 19<sup>th</sup> dist.

an Elm 14 " " " N 63 W, 25 " "

Nov. 8<sup>th</sup> 1810. Surveyed by  
A. McQuinn, Dep. Sur.

East On S. side of Sec. 31.

40.00 Set q. sec. post, from which  
a Sugar 20 in. dia. bears N 63 E, 12<sup>th</sup> dist.  
an Ash 10 " " " S 44 W, 28 " dist.

70.21 a Creek 40<sup>th</sup> wide course N.

80.00 Set post cor. to Sec. 31 & 32, from wh.  
an Elm 12 in. dia. bears S 9 W, 16<sup>th</sup> dist.  
a Do. 9 " " " N 3 E, 51<sup>th</sup> dist.  
Level, wet land.

East On S. side of Sec. 32.

40.00 Set q. sec. post, from which  
an Ash 14 in. dia. bears N 30 W, 11<sup>th</sup> dist.  
a Beech 8 " " " S 60 E, 23<sup>th</sup> dist.

80.00 Set post, cor. to Sec. 32 & 33, from wh.  
a Sugar 12 in. dia. bears S 22 W, 22<sup>th</sup> dist.  
a Beech 10 " " " N 23 E, 17<sup>th</sup> dist.  
Land, same.

East On S. side of Sec. 33.

T. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

40.00	Set q. Sec. post, from which a Buckeye 9 in. dia. bears S 16 1/2 W. 13 lb. a Spruce 8 " " " " N 40 E. 13 " dt.
80.00	Set post Cor. to Sec. 33 & 34, fr. wh. a Beech 14 in. dia. bears S 61 W. 20 lb. a Do. 11 " " " East 11 lb. dt. Land, same.
East	On S. side of Sec. 34.
40.00	Set q. Sec. post from which an Ash 9 in. dia. bears N 26 W. 28 lb. X a Do. 8 " " " " S 76 W. 123 " dt.
80.00	Set post Cor. to Sec. 34 & 35, fr. wh. a Beech 12 in. dia. bears N 65 W. 23 lb. a Do. 8 " " " " S 80 E. 8 lb. dt. Land, same.
East	On S. side of Sec. 35.
7.17	a Sugar 20 in. diam.
40.00	Set q. Sec. post, from which a Wh. Oak 12 in. dia. bears N 71 W. 11 lb. a Do. 13 " " " " N 33 E. 6 lb.
43.17	Intersect Old Indian Boundary. Land, same. Surveyed in 1819. By John Hendricks, J.S.
North Boundary.	
East	On S. side of Sec. 31. T. 24 N. R. 15 E.
40.00	Set q. Sec. post, from which a Beech 10 in. dia. bears West, 2 lb. dt. X a Do. 8 " " " " East 20 " "
63.00	a Quak 20 lb. wide Course N. E.
80.00	Set post Cor. to Sec. 31 & 32, fr. wh. a Sugar 15 in. dia. bears N 60 W. 40 lb. dt. X

353

T. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>  
Ch: 1<sup>st</sup>  
an Elm 12 in. dia. bears East, 17 lb. dt.  
Land, level wet. Timber and  
ind. gth. of various kinds.

---

East On S. side of sec. 32. T. 24 N. R. 15 E.  
40.00 Set gr. sec. post, from which  
a B. Oak 12 in. dia. bears S 30 E, 30 lb. dt.  
a wh. Maple 24 in. dia. " N 10 W, 7 " dt.  
49.10 Paped the cor. of sec. 3 & 4 in the  
Lower South.  
60.00 Road to Hart wayne  
80.00 Set post cor. to sec. 32 & 33, fr. wh.  
a wh. Oak 10 in. dia. bears S 89 W, 15 lb. dt.  
a Sugar 12 " " " N 79 E, 16 " "  
Land, the same.

---

East On S. side of sec. 33. T. 24 N. R. 15 E.  
23.00 a stream 10 lb. wide Course N.  
40.00 Set gr. sec. post, from which  
a Beech 18 in. dia. bears S 86 E, 38 lb. dt.  
a Do. 15 " " " S 61 W, 37 " dt.  
50.25 paped cor. of sec. 2 & 3 in the adjoin-  
ing Township.  
80.00 Set post cor. to sec. 33 & 34, fr. wh.  
a Beech 12 in. dia. bears N 53 W, 13 lb. dt.  
a Do. 16 " " " N 51 E, 25 " "  
Land, the same.

---

East On S. side of sec 34. T. 24 N. R. 15 E.  
40.00 Set gr. sec. post, from which  
a B. Ash 6 in dia. bears N 38 E, 12 lb. dt.  
a B. Oak 10 " " " S 49 E, 20 " "  
51.25 paped cor. of sec. 1 & 2 in the ad-  
joining Township.  
67.75 Intersect State Line and set post\*  
Cor. of Towns 23 & 24 R. 15 E, from which



T. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>n</sup>  
 cr. No.

a Beech 12 in. dia. bears S 28 W. 18 lb. dist.  
 a Do. 12 " " " N 52 E. 14 " "  
 Land same.

\* Note. This post is 26.23 North of cor. of sec.  
 30 & 31. T. 6 S. R. 1 E. 1<sup>st</sup> Mer.

Surveyed in 1822.

By

P. H. Kellogg, D.S.

### West Boundary.

North An E. Side of Sec. 36. T. 23 N. R. 14 E.  
 37.00 a Brook 7 lb. wide Course N. W.  
 40.00 Set gr. sec. post. from which  
 a Hickory 10 in. dia. bears N 6 W. 26 lb. dist.  
 an Oak 12 " " " S 63 E. 6 " "  
 80.00 Set post cor. to Sec. 36 & 25, from wh.  
 an Ash 24 in. dia. bears N 88 E. 13 lb. dist.  
 a Hickory 12 " " " N 75 W. 10 " "  
 Over level wet land. Timb. Beech, Ash,  
 Elm &c. Under 8th. of office.

North An E. Side of Sec. 25. T. 23 N. R. 14 E.  
 19.55 an Elm 24 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Beech 8 in. dia. bears S 44 W. 13 lb. dist.  
 a Do. 14 " " " N 45 E. 7 " "  
 61.80 a Sugar 14 in. dia.  
 77.00 a creek 50 lb. wide Course N. W.  
 80.00 Set post cor. to Sec. 24 & 25, fr. wh.  
 a willow 7 in. dia. bears N 25 W. 21 lb. dist.  
 a Walnut 8 " " " S 57 E. 29 " "  
 Land, as before.

North An E. Side of Sec. 24. T. 23 N. R. 14 E.  
 29.25 an Ash 20 in. diam.  
 40.00 Set gr. sec. post. from which

T. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup> 355

Ch. Sk.

a Sugar 12 in. dia. bears N 38 W, 15 lb. dwt.,  
& a Birch 13 " " " S 41 E, 47 " "

68.05 a Maple 14 in. dia.

80.00 Set post Cor. to sec. 13 & 24, from wh.

An Ash 14 in. dia. bears N 15 W, 8 lb. dwt.

& a Beech 12 in. dia. " N 14 W, 12 " "

Land, same.

---

North On E. side of sec. 13. T. 23 N. R. 14 E.

21.40 a Beech 12 in. dia.

40.00 Set gr. Sec. post, from which  
a Beech 4 in. dia. bears S 4 E, 24 lb. dwt.,  
an Oak 8 " " " N 14 W, 25 " "

80.00 Set post Cor. to Sec. 12 & 13, from wh.

a Beech 10 in. dia. bears S 9 W, 46 lb. dwt.

a Do. 20 " " " N 37 E, 15 " "

Land, as before.

---

North On E. side of sec. 12. T. 23 N. R. 14 E.

40.00 Set gr. Sec. post, from which

a Beech 10 in. dia. bears S 2 E, 34 lb. dwt.,

a Do. 8 " " " N 16 E, 38 " "

42.50 a Lymn 14 in. diam.

80.00 Set post Cor. of sec. 1 & 12, from which

a Beech 14 in. dia. bears S 2 E, 14 lb. dwt.,

a Do. 18 " " " N 16 W, 12 " "

Land, level and dry. Timber Beech,  
Sugar, Oak &c.

---

North On E. side of sec. 1. T. 23 N. R. 14 E.

15.25 An Elm 18 in. diam.

40.00 Set gr. Sec. post, from which

an Elm 10 in. dia. bears S 53 W, 3 lb. dwt.,

an Oak 11 " " " N 62 E, 23 " "

80.00 Town Corner. Surveyed in 1819.

By

John McConnald, D.S.

356 P

S. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>n</sup>  
ch. 1<sup>st</sup>Subdivision.  
North Between Sections 29 & 32. Var. 6<sup>th</sup> E.

- 9.89 a Beech 20 in. diam.  
40.00 Set gp. sec. post, from which  
an Ash 20 in. dia. bears S 38 W, 20 lks. dist. &  
a Do. 9 " " " S 79 E, 21 " "  
42.85 a Sugar 14 in. diam.  
80.00 Set post Cor. to Sec. P. 29, 30, 31 & 32, —  
a Sycamore 48 in. dia. bears N 8 W, 25 lks. dist. &  
a Beech 9 " " " S 20 E, 45 " "  
Land, level inclining to west. 3<sup>rd</sup> rate.  
Spice & Amp. Ashland. Elm. Beech, Ash,  
Elm & Hickory.

West Between Sect. 30 &amp; 31 on Random

- 40.00 Set temporary gp. sec. post.  
55.50 a stream 20 lks. wide course N.  
80.00 Intersect W. Boundary 30 lks. N. of post.  
Land, level 2<sup>nd</sup> rate. Timber, Ash Elm,  
Beech, Oak &c. and 8th. Spice, S. Ash &c.

East correct line Between Sect. 30 &amp; 31.

- 40.00 Set gp. sec. post, from which  
Selm 12 in. dia. bears N 32 E, 25 lks. dist. &  
a Do. 10 " " " S 42 W, 20 " "  
80.00 Sec. Cor.

North Between Sections 29 &amp; 30.

- 24.53 a Sugar 11 in. diam.  
40.00 Set gp. sec. post, from which  
an Ash 14 in. dia. bears S 14 E, 29 lks. dist. &  
an Ash 14 " " " N 58 W, 31 " "  
64.80 a H. Oak 22 in. dia.  
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from wh.  
an Elm 8 in. dia. bears N 34 W, 20 lks. dist. &  
a Do. 6 " " " S 20 E, 12 lks. dist.  
Land, level & 3<sup>rd</sup> rate. Timber Beech,

357

T. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind. <sup>a</sup>  
Ch. Mt.

Ash, Elm, Oak Hickory &c. Spice &  
swamp Ash &c.

---

West On Random Between Sec. 19 & 20.

40.00 Set temp. q. sec. post.

80.36 Intersect W. Boundary 21 lb. N. of post.  
Land, level  $3\frac{2}{3}$  rate. Beech, Ash,  
Elm &c. Mud. gth. Spice, Surf. Ash &c.

---

East leave at line betw<sup>n</sup> Sec. 19 & 20.

40.18 Set q. sec. post, from which  
a Maple - in. dia. bears S 14 W. 24 lb. dist. X  
a Sycamore 28 in. " " N 74 E. 25 " "

80.36 Sec. cor. Oct. 29<sup>th</sup> 1822.

---

North Between Sections 19 & 20.

12.75 a Beech 18 in. diam.

40.00 Set q. sec. post, from which  
a Hickory 8 in. dia. bears S 11 W. 14 lb. dist. X  
a Water Beech 6 in. dia. " N 25 W. 26 " "

44.03 a Beech 22 in. diam.

80.00 set post cor. to Sec. 17, 18, 19 & 20.  
a Beech 14 in. dia. bears S 11 E 36 lb. dist.  
a Sugar 12 " " " N 26 W. 26 " "  
Land, level  $2\frac{2}{3}$  rate. Timber: Beech  
Ash, Elm, Sugar &c. Spice, Ash &c.

---

West On Random Between Sec. 18 & 19.

40.00 Set temp. q. sec. post.

80.59 Intersect W. Boundary 89 lb. N. of post.  
Land, level  $3\frac{2}{3}$  rate. Timber: and  
Mud. gth. as before.

---

East correct line betw<sup>n</sup> Sec. 18 & 19.

40.29 set q. sec. post, from which  
a Sugar 24 in. dia bears S 27 W. 1 lb. dist. X



358 T. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind.  
Ct. 1st  
a Dogwood 6 in. dia. bears N 27 E. 15 ft. dist.  
80.54 Sec. line.

---

North Between Sec. 17 & 18.

95 an Elm 20 in. diam.  
40.00 Set gr. Sec. post, from which  
a H. Oak 24 in. dia. bears S 64 W. 23 ft. X  
a White Oak 24 " " " N 45 E. 22 " dist.  
46.39 an Ash 10 in. diam.  
67.10 an Elm 12 " "  
80.00 Set post line. to Sec. 7, 8, 17 & 18, from wh.  
a Maple 22 in. dia. bears S 38 W. 20 ft. dist.  
a Do. 18 " " " N 73 E. 12 " "  
Land, level 3<sup>rd</sup> rate. Timb. Beech,  
Ash, Elm, Hickory &c. Undergrowth.  
Ash Ironwood & Spice.

---

West On Random Between Sec. 7 & 18.

40.00 Set comp. gr. Sec. post.  
80.36 Intersect W. Boundary 100 ft. N. of Post.  
Land, level 3<sup>rd</sup> rate. Timb. Beech  
Ash, Wh. Oak, Hickory &c. Spice &  
Ironwood &c.

---

East Corner line Between Sec. 7 & 18.

40.18 set gr. Sec. post, from which  
an Elm 24 in. dia. bears S 45 W. 9 ft. dist.  
a Do. 14 " " " N 36 W. 11 " "  
80.36 Sec. line.

---

North Between Sec. 7 & 8.

19.25 a Wh. Oak 24 in. diam.  
40.00 Set gr. Sec. post, from which  
a Beech 14 in. dia. bears N 17 E. 34 ft. dist. X  
a Wh. Oak 9 " " " S 8 W. 30 " "  
44.34 a Beech 18 in. diam.

359

S. 23 N. Tq. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. 9th.

80.00 set post Cor. to sec. 5, 6, 7 & 8, from wh.  
an Elm 30 in. dia. bears N 34 W, 32 (W. dett.) &  
a Do. 12 " " " S 17 E, 32 " "  
Land, level inclining to west  $3\frac{1}{2}$  rate.  
Beech Ash Elm &c. Mud. Spice  
Ash Snp. Ash &c.

---

West On Mound between Sec. 6 & 7.

40.00 set temp. gr. sec. post.

80.47 Intersect W. Boundary 112 W. of  
post. Land, level  $3\frac{1}{2}$  rate. Timb.  
Beech Ash, Hickory, Oak, Elm &c.  
Mud. Spice and snp. Ash &c.

---

East correct line between Sec. 6 & 7.

40.23 set gr. sec. post, from which  
a Sugar 12 in. dia. bears S 59 W, 26 (W. dett.)  
an Ash 6 " " " N 8 E, 22 " "  
80.47 sec. cor.

---

North Between Sec. 5 & 6.

8.95 a Hickory 30 in. diam.

40.00 set gr. sec. post, from which  
a wh. Oak 14 in. dia. bears West 2 W. dett.  
an Elm 14 " " " N 13 E, 22 " "

45.10 a wh. Oak 28 in. dia.

78.42 Intersect correction line & set post Cor.  
to sec. 5 & 6, from which  
a wh. Oak 12 in. dia. bears N 8 E, 13 (W. dett.)  
an Ash 6 " " " S 44 W, 13 " "  
Land, level  $3\frac{1}{2}$  rate. Timb. Beech,  
Ash, Elm, Oak, Hickory &c.  
Mud. yth. Ash Ironwood & Spice.

---

North Between Sec. 32 & 33.

16.20 a Beech 9 in. dia.

S. 23 N. T. 4. 15 E. 2<sup>nd</sup> Mer. Ia

Ch. 4<sup>th</sup>

23.75 a Beech 20 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 12 in. dia. bears N 2 W, 46 lb. dt.  
a Do. 7 " " " S 7 W, 15 " "

48.70 an Elm 14 in. dia.

80.00 Set post Cor. to sec. 28, 29, 32 & 33, fr. wh.

a Beech 30 in. dia. bears S 7 W, 36 lb. dt.

a Do. 18 " " " S 8 E, 16 " "

Land, level 3<sup>rd</sup> rate. Timber.

Beech, Ash, Elm Oak &c. Mud.

Spice Ash Ironwood &c.

West On Mandan between Sec. 29 & 32.

40.00 Set temp. gr. sec. post.

80.26 Intersect N & S. line 17 lb. N. of post.

Land, level 3<sup>rd</sup> rate. Timber: Beech,

Ash, Elm, &c. Spice, Swamp Ash &c.

East correct line. Between Sec. 29 & 32.

40.13 Set gr. sec. post. from which

a Beech 10 in. dia. bears S 4 E, 22 lb. &

a Hickory 9 " " " N 20 W, 20 " dt.

80.26 See, loc.

North Between Sec. 28 & 29.

20.44 an Ash 36 in. diam.

40.00 Set gr. sec. post. from which

an Elm 10 in. dia. bears N 79 W, 12 lb. dt.

a Do. 8 " " " N 78 E, 13 lb. dt.

43.06 an Ash 14 " "

80.00 Set post Cor. to sec. 20, 21, 28 & 29, fr. wh.

a Wh. Oak 30 in. dia. bears N 56 W, 46 lb. &

an Ash 14 in. dia. bears S 48 E, 27 " dt.

Land, level 2<sup>nd</sup> rate Timber.

Beech, Ash, Sugar, Elm, Hickory

&c. Spice Ash &c. Oct. 29<sup>th</sup> 1822.

T. D. N. Sec. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

ch. 1/2

West On Standard between Sec. 20 & 29.

40.00 Set temp. q. sec. post.

80.34 Intersect N & E. line 11 lb. S. of post.

Land and v. c. as before.

East correct line between Sec. 20 & 29.

40.17 Set q. sec. post, from which  
a W. Oak 45 in. dia. bears S 62° W 46 lb.  
a Hickory 20 " " " N 14° E. 10 lb. dist.

80.34 Sec. cor.

North Between Sec. 20 & 21.

32.47 a Beech 18 in. diam.

40.00 set q. sec. post, from which  
a Beech 8 in. dia. bears S 21° E. 9 lb. dist.  
an Ironwood 7 in. dia. " N 2° E. 22 " "

64.81 a Sugar 18 in. dia.

80.00 Set post cor. to Sec. 16, 17, 20 & 21,  
a W. Oak 36 in. dia. bears N 44° W. 3 lb. dist.  
an Ash 8 " " " S 44° E. 13 " "

Land, level 2<sup>nd</sup> rate. Beech,  
Ash, Sugar Hickory & c. mud. gth.  
Spice Ash & c.

West On Standard between Sec. 17 & 20.

40.00 Set temp. q. sec. post.

80.25 Intersect N & E. line 52 lb. S. of post.

Land and Timber, same as last.

East correct line between Sec. 17 & 20.

40.12 Set q. sec. post, from which  
a Maple 14 in. dia. bears S 47° E. 36 lb. dist.  
an Ash 10 " " " N 25° W. 16 " "

80.25 Sec. cor.

North Between Sections 16 & 17.



362 S. 23 N. 16. 15 E. 2<sup>nd</sup> Mer. Ind. a  
Ch. 916.

1. 19 a Beech 18 in. diam.  
40.00 Set q. sec. post, from which  
a Sugar 12 in. dia. bears S 82 W. 15 lb. dist. &  
an Elm 9 " " " N 62 E. 18 " "  
52.28 a Sugar 18 in. diam.  
80.00 Set post cor. to Sect. 8, 9, 16 & 17, fr. wh.  
a Hickory 8 in. diam. bears S 82 W. 10 lb. dist. &  
an Ironwood 6 in. dia. " N 52 E. 26 " "  
Land, Rolling 2<sup>nd</sup> rate. Timber:  
Beech, Sugar Ash Hickory &c. and  
growth, Ash, Ironwood. &c.
- 

- West Between Sect. 8 & 17 on Random.  
11.00 a stream 6 lb. wide flows N.  
40.00 Set temp. q. sec. post.  
50.36 Intersect N & S. 82 lb. S. of post.  
Land and Timber as before.
- 

- East corner line between Sect. 8 & 17.  
40.18 Set q. sec. post, from which  
a Beech 20 in. dia. bears N 88 E. 34 lb. dist. &  
a wh. Oak 30 in. dia. " S 68 W. 32 " "  
80.36 Sec. cor.
- 

- North Between Sect. 8 & 9.  
19.58 a Mulberry 15 in. diam.  
40.00 Set q. sec. post, from which  
a Beech 20 in. dia. bears S 77 W. 22 lb. dist. &  
a Dogwood 7 in. " " N 4 E. 24 " "  
47.72 a W. Oak 32 " "  
68.12 a Beech 28 in. diam.  
80.00 Set post cor. to Sect. 4, 5, 8 & 9, fr. wh.  
a Beech 22 in. dia. bears S 36 E. 40 lb. dist. &  
a Hickory 12 " " " N 6 W. 28 " "  
Land, level 2<sup>nd</sup> rate. Timber, Beech,  
White Oak, Sugar Hickory, Spruce Ash &c.

363

S. 23 N. T<sub>4</sub>. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>  
Ch. 4<sup>th</sup>

West on Random Between Sec. 5 & 8.

4.25 a stream 8 lb. wide course N

40.00 set temp. q. sec. post.

80.18 Intersect N & S. line 130 lb. S. of post.

Land and Timb. as before.

---

East lowest line between Sec. 5 & 8.

40.09 set q. sec. post, from which  
a Beech 20 in. dia. bears S 26.20 lb. dist.

a Sugar 12 " " " N 26.36 " "

80.18 Sec. cor.

---

North Between Sec. 4 & 5.

11.00 a Brook 10 lb. wide c. N.E.

14.00 a Walnut 30 in. diam.

40.00 set q. sec. post, from which

a Sugar 20 in. dia. bears S 16.54 lb. dist. X

a Hickory 13 " " " N 15 W. 29 " "

62.03 an Elm 10 " "

81.66 Intersect correction line & set post cor.

to Sec. 4 & 5. from which

a Beech 30 in. dia. bears S 44 W. 6 lb. dist. X

an Ash 28 " " " N 46.36 " "

Land, level 2<sup>nd</sup> rate. Timb. Beech,  
Sugar, Ash, Oak, &c. Spice Ash Oak  
Chow &c. Oct. 31<sup>st</sup> 1822.

---

North Between Sec. 33 & 34.

15.87 a Sugar 20 in. diam.

40.00 set q. sec. post, from which

a Beech 16 in. dia. bears N 86 E. 38 lb. dist. X

a Do. 18 " " " N 84 W. 21 lb. dist.

52.60 a Wh. Oak 14 in. dia.

80.00 Set post cor. to Sec. 27, 28, 33 & 34, from wh.

an Ash 11 in. dia. bears S 87 W. 13 lb. dist. X

a Beech 6 in. " " S 54 E. 15 " "

364 S. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>  
Ch. 1<sup>st</sup>

Land, level  $3\frac{1}{2}$  rate. Timb: Beech,  
Ash, Hickory Wh. Oak &c. Ironwood  
Spice, Ash &c.

---

West On Random Between Sec. 28 & 33.

40.00 Set temp. gr. sec. post.

80.16 Intersect N & S. line 26<sup>th</sup> S. of post.  
Land and Timb: as before.

---

East Correct line Between Sec. 28 & 33.

40.08 Set gr. sec. post, from which  
a Beech 22 in. dia. bears N 29 E. 19<sup>th</sup> S. dist. X  
a Do. 20 " " " S 3 E. 41 " "

80.16 sec. cor.

---

North Between Sec. 27 & 28.

24.16 a Beech 12 in. diam.

40.00 Set gr. sec. post, from which  
a Wh. Oak 5<sup>1</sup>/<sub>4</sub> in. dia. bears S 57 E. 16<sup>th</sup> S. dist. X  
a Hickory 14 in. dia. " N 43 W. 14 " "

47.13 a Beech 30 " "

65.19 a Do. 12 " "

80.00 Set post cor. to Sec. 21, 22, 27 & 28, fr. wh.  
a Wh. Oak 3<sup>3</sup>/<sub>4</sub> in. dia. bears N 35 E. 3<sup>1</sup>/<sub>4</sub> S. dist. X  
a Sugar 10 " " " S 11 W. 23<sup>1</sup>/<sub>4</sub> S. dist.

Land, level inclining to wet.  $3\frac{1}{2}$  rate.  
Timb: Ash, Elm Hickory Beech &c.  
Mid. yth. Spice, Ash. &c.

---

West On Random Between Sec. 21 & 28.

40.00 Set gr. sec. post temp.

80.35 Intersect N & S. line 41<sup>th</sup> S. of post.  
Land, rolling  $3\frac{1}{2}$  rate. Nov. 1<sup>st</sup> 1822.

---

East On Correct line Between Sec. 21 & 28.

40.17 a Beech 9 in. diam. for gr. post, from wh.



S.D.N. Sec. 15 E. 2<sup>nd</sup> Mer. Ind. <sup>365</sup>  
ck. 96.

a Beech 30 in. dia. bears N 4 E. 41 bk. dist.  
a Do. 15 " " " S 63 W. 35 " "  
80.35 Sec. loc.

---

North Between Sec. 21 & 22.

34.60 a Sugar 12 in. diam.

40.00 Set q. sec. post, from which  
a Beech 9 in. dia. bears S 40 W. 22 bk. dist.  
a Sugar 10 " " " East 30 " "

76.98 a Hickory 9 " "

80.00 Set post loc. to Sec. 15, 16, 21 & 22,  
a Beech 22 in. dia. bears N 74 W. 39 bk. dist.  
an Ash 12 " " " S 68 E. 4 " "  
Land, level 3 $\frac{1}{2}$  rate. Timber Beech,  
Ash, Cedar, Hickory Sugar. Ironwood  
and Ash &c.

---

West on Random line betw<sup>n</sup> Sec. 16 & 21.

40.00 Set temp. q. sec. post.

80.24 Intersect N & S. line 42 bk. S. of post.  
Land, level 3 $\frac{1}{2}$  rate. Timber Beech,  
Ash, Sugar Hickory &c. Undergrowth of  
Ironwood, Ash, Spice.

---

East corner line between Sec. 21 & 16.

41.13 Set q. sec. post, from which  
a Beech 12 in. dia. bears N 21 W. 20 bk. dist.  
a Sugar 12 " " " S 4 E. 26 " "  
80.26 Sec. loc.

---

North Between Sec. 15 & 16.

22.14 a Hickory 14 in. diam.

40.00 Set q. sec. post, from which  
a Beech 12 in. diam. bears S 40 E. 21 bk. dist.  
a Maple 16 " " " N 10 W. 26 " "

63.70 a Beech 10 " "



366 S. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind. 9<sup>th</sup>

Ch. Lk?

80.00 Set post cor. to Secs. 9, 10, 15 & 16,  
a Sugar 12 in. diam. 160 E. 160 N. & a Hick 12 in. N 77 W. 22 Ch.  
Land, level 3<sup>rd</sup> rate. Limb. Beech  
Ash, Sugar, Oak Hickory Ironwood  
Dogwood Spice &c.

---

West On Meander Between Secs. 9 & 16.

40.00 Set gr. sec. post temp.

80.27 Intersect N & S line 54 lks. S. of post.  
Land and Limb. as before.

---

East corner line between Secs. 9 & 16.

40.13 Set gr. sec. post. from which  
a H. Oak 48 in. dia. bears N 44 E. 28 lks. dist.  
a Beech 18 " " " South 35 " "

80.27 Sec. cor.

---

North Between sections 9 & 10.

11.15 a Sugar 12 in. diam.

40.00 Set gr. sec. post. from which  
an Ash 9 in. dia. bears N 32 E. 21 lks. dist.)  
a Mulberry 7 in. " " N 9 W. 9 " "

57.50 a Sugar 11 in. diam.

80.00 Set post cor. to Secs. 3, 4, 9, & 10, from wh.  
a H. Oak 26 in. dia. bears S 44 W. 34 lks. dist.)  
an Ash 8 " " " N 38 E. 19 " "  
Land, level 2<sup>nd</sup> rate. Beech, Ash,  
Sugar, Oak, Hickory &c. Spice &  
Ironwood &c.

---

West On Random Between Sect. 4 & 9.

40.00 Set temp. gr. sec. post.

49.50 a Brook 5 lks. wide course N. W.

60.00 a Spring Branch course N. E.

80.13 Intersect N & S line 80 lks. S. of post.  
Land, rolling 2<sup>nd</sup> rate. Limb.

T. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup> 367

ch. lk? wh. Oak, Hickory Ash, Beech &c.  
and. Spice Meadow &c.

---

East correct line Between sec. 4 & 9.

40.36 Set gr. sec. post, from which  
an Elm 10 in. dia. bears S 45 E. 33 lk? dist. &  
a wh. Oak 6 " " " N 79 W. 35 " "  
81.13 Sec. cor.

---

North Between sections 3 & 4.

9.11 an Ash 12 in. dia.

23.08 an Elm 30 " "

25.00 a Brook 8 lk? wide course N. W.

40.00 Set gr. sec. post, from which  
a Hickory 30 in. dia. bears S 45 E. 13 lk? dist. &  
a Red Oak 30 " " " S 61 W. 6 " "

48.50 a wh. Oak 33 in. diam.

82.73 Intersect correction line & set post cor. to  
Sec. 3 & 4, from which  
an Elm 20 in. dia. bears S 64 E. 9 lk? dist. &  
an Ash 10 " " " S 61 W. 14 " "  
Land, level 3<sup>rd</sup> rate. Timber: Oak, Hick-  
ory Ash Beech Elm &c. Ironwood  
Ash & Hickory. Nov. 2<sup>nd</sup> 1822.

---

North Between Sec. 34 & 35.

19.25 a Beech 28 in. diam.

40.00 Set gr. sec. post, from which  
an Beech 16 in. dia. bears N 62 E. 22 lk? dist.  
an Ash 10 in. dia. " S 70 W. 14 " "

45.07 an Elm 30 in. dia.

80.00 Set post cor. to Sec. 26, 27, 34 & 35.  
a Beech 20 in. dia. bears N 65 E. 33 lk? dist.  
a Hickory 8 " " " S 76 W. 11 lk? dist.  
Land, level 3<sup>rd</sup> rate. Timber: Beech-  
Ash, Sugar Elm &c. Iron<sup>2</sup> Ash & Spice.

T. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind. A.

chk. 4th.

West On Random between Sec. 27 & 34.

40.00 Set temp. gr. Sec. post.

67.00 Wagon Road.

79.73 Intersect N & S. line 6<sup>1</sup>/<sub>2</sub> blks. S. of post.

Land and Timb. as before.

East correct line between Sec. 27 & 34.

39.86 Set gr. Sec. post. from which

a Sugar 16 in. dia. bears N 74 W. 22 blks. dist.

a Beech 10 " " " S 71 E. 8 blks. dist.

79.73 Sec. cor.

North Between Sec. 26 & 27.

16.22 a Hickory 18 in. dia.

40.00 Set gr. Sec. post. from which

a wh. Oak 12 in. dia. bears S 5 W. 27 blks. dist.

an Ash. 9 " " " N 23 E. 12 " "

52.35 a Sugar 22 in. diam.

80.00 Set post cor. to Sec. 22, 23, 26 & 27, fr. wh.

a Beech 18 in. dia. bears S 31 W. 19 blks. dist. &

a Do. 7 " " " N 49 E. 29 " "

Land, level 2<sup>nd</sup> rate. Timb. Beech, Ash, Sugar Hickory &c. Spice Ash and Hawth.

West Between Sec. 22 & 27 on Random.

40.00 Set temp. gr. Sec. post.

68.60 To Wagon Road.

80.00 Intersect N & S. line 14 blks. S. of post.

Land, rolling 3<sup>rd</sup> rate. Beech, Ash, Oak Hickory &c. Ironwood Hawth & Spice &c.

East correct line between Sec. 22 & 27.

40.00 Set the gr. Sec. post. from which

a Beech 14 in. dia. bears N 38 E. 10 blks. dist. &

369

T. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind.

112.45

a Sugar 10 in. dia. bears S 33 W. 30 lb. dist.  
80.00 Sec. loc.

North Between sections 22 & 23.

22.20 a Beech 15 in. dia.

40.00 Set gr. Sec. post. from which  
a Beech 14 in. dia. bears S 29 E. 29 lb. dist.  
a Do. 16 " " " N 58 W. 30 " "

50.91 a Beech 18 " "

80.00 Set post loc. to Sec. 14, 15, 22 & 23. A. M. H.

a Yellow Oak 12 in. dia. bears S 31 E. 5 lb. dist.

a Lym 10 " " " N 41 E. 7 lb. dist.

Land, level 3 $\frac{1}{2}$  rate. Timber: Ash,  
Beech, Oak, Hickory, Elm &c. And. J. Th.  
Spice Ash and Ironwood.

West An Random betw<sup>n</sup> Sec. 15 & 22.

40.00 Set temp. gr. sec. post.

67.00 To Wagon Road

80.02 Intersect N. & S. line 35 lb. S. of post.  
Land & Timber the same.

East correct line betw<sup>n</sup> Sec. 15 & 22.

40.01 Set gr. sec. post. from which

a Wh. Oak 40 in. dia. bears N 4 E. 28 lb. dist.

an Elm 12 in. dia. " S 21 W. 11 " "

80.02 Sec. loc.

North Between Sec. 14 & 15.

17.02 a Beech 10 in. diam.

28.30 an Ash 30 in. diam.

40.00 Set gr. Sec. post. from which

a Hickory 12 in. dia. bears S 74 W. 10 lb. dist. X

a Hickory 12 " " " N 37 E. 36 " "

48.64 a Beech 24 in. diam.

71.82 an Ash 28 " "



370 T. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind. <sup>9</sup>/<sub>16</sub>

Ch. 162

80.00 Set post cor. to Secs. 11, 11, 14 & 15, from which  
a Beech 20 in. dia. bears S 58° W. 41 lks. dist. &  
a Do 22 " " " N 10° W. 15 " "  
Land, level 3<sup>rd</sup> rate. Beech, Ash,  
Oak Hickory &c. Ironwood, Ash &  
Dogwood, &c.

West On Meander between Secs. 10 & 15.

40.00 Set temp. g. sec. post.

68.00 To a Wagon Road.

80.37 Intersect N & S. line 32 lks. S. of post.  
Land and Timber as before.

East Correct line Between Secs. 10 & 15.

46.18 Set g. sec. post. from which  
an Ash 8 in. dia. bears S 12° W. 34 lks. dist.  
a Do. 6 " " " N 33° E. 5 lks. dist.

80.37 Sec. cor.

North Between Secs. 10 & 11.

4.54 a Beech 20 in. diam.

31.00 an Ash 30 " "

40.00 Set g. sec. post. from which  
a W. Oak 16 in. dia. bears S 39° W. 2 lks. dist. &  
a Hickory 20 " " " North 18 " "

53.43 a W. Oak 12 in. dia.

70.50 a Brook 8 lks. wide course N. E

73.14 an Ash 14 in. diam.

80.00 Set post cor. to Secs. 2, 3, 10 & 11,  
a Beech 10 in. dia. bears S 25° W. 23 lks. dist.  
a Do. 10 " " " N 65° E. 14 lks. dist.  
Land, level 3<sup>rd</sup> rate. Beech, Ash,  
W. Oak, Elm, Ironwood Ash and  
Dogwood, &c.

West On Meander between Secs. 3 & 10.

S. 23 N. Sec. 15 E. 2<sup>nd</sup> Mer. Ind<sup>g</sup> 371  
Ch<sup>g</sup> M<sup>g</sup>.

40.00 set temp. g. sec. post.

61.25 To a Wagon Road.

66.80 a Brook 4<sup>th</sup> wide course N.

80.70 Intersect N. & line 50<sup>th</sup> of post.

Land and Timber as before.

---

East correct line betw<sup>n</sup> Sec<sup>s</sup> 23 & 20.

40.35 set g. sec. post. from which  
a Beech 12 in. dia. bears N 39 E. 29<sup>th</sup> lbs. dist.  
a Do. 10 " " " S 87 W. 11<sup>th</sup> lbs. dist.

80.70 Sec. cor.

---

North Between Sections 2 & 3.

6.40 a Hickory 12 in. diam.

22.00 a Brook 8<sup>th</sup> wide. course W.

24.00 To a Road

46.00 Set g. sec. post. from which  
a Beech 15 in. dia. bears S 57 W. 17<sup>th</sup> lbs. dist. X  
a Do. 7 " " " N 3 W. 24 " "

79.00 a H. Oak 16 in. diam.

82.32 Intersect correction line & set post cor.  
to Sec<sup>s</sup> 2 & 3, from which  
a Beech 33 in. dia. bears N 79 E. 21<sup>th</sup> lbs. dist. X  
a Maple 26 " " " S 19 W. 23 " "

Land, level 3<sup>rd</sup> rate. Timber: Beech,  
Hickory, Ash, Oak &c. Ironwood, Ash  
and Dogwood.

---

East Between Sec<sup>s</sup> 26 & 35.

29.00 a Beech 12 in. diam.

40.00 Set g. sec. post. from which  
a Beech 15 in. dia. bears S 19 W. 23<sup>th</sup> lbs. dist. X  
a Spruce 18 " " " N 41 E. 29 " "

41.50 a Beech 14 in. diam.

63.46 a Wh. Oak 12 " "

80.00 Set a. sec. post. for cor. to Sec<sup>s</sup> 25, 26, 35 & 36. g. wh.

37<sup>th</sup> T. 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

ch. 2<sup>nd</sup> a Wh. Oak 34 in. dia. bears N 48 E, 22 lb. dist.  
a Beech 8 " " " S 22 W, 32 " "  
Level 3<sup>rd</sup> rate land. Timber: Beech  
Oak, Hickory. Hornwood Ash &c.

---

South Between Between Sec. 35 & 36.

20.50 a Beech 12 in. diam.

34.00 a stream 20 lb. wide course N.E.

40.00 Set q. sec. post, from which  
a Blue Ash 10 in. dia. bears N 63 W, 23 lb. dist.  
a D.O. 6 in. dia. bears S 51 E, 20 " dist.

55.00 Intersect Old Indian Boundary line  
& set post, from which  
a Beech 15 in. dia. bears S 86 W, 33 lb. dist.  
a Do. 10 " " " N 86 W, 12 " "  
Land, rolling and 2<sup>nd</sup> rate. Timber:  
Bl. Oak, Sugar, Hickory Ash, &c.  
Und. gr. Spice, Dogwood & P. Ash.

---

East Between Sec. 25 & 36.

9.50 Intersect State line and set post, from which  
an Elm 28 in. dia. bears S 30 E, 7 lb. dist.  
a Wh. Oak 10 " " " N 66 W, 24 " "  
Land and Timber: ~~~~

---

North Between Sec. 25 & 26.

20.00 a Beech 18 in. diam.

11.00 a stream 10 lb. wide course E.

40.00 Set q. sec. post, from which  
a Beech 14 in. dia. bears N 19 W, 48 lb. dist.  
a Do. 12 " " " N 87 E, 11 " "

80.00 Set post cor. to Sec. 23, 24, 25 & 26,  
a Beech 10 in. dia. bears N 79 W, 21 lb. dist.  
a Do. 15 " " " S 22 E, 40 " "  
Land, level Timber: Bl. Oak, Sugar  
Hickory Ash. und. gr. of all kinds.

373

T. 23. N. R. 15 E. 2<sup>nd</sup> Mer. Ind. a<sup>1</sup>  
Op. W.

East Between Secs. 23 & 26.  
23.35 a Beech 16 in. diam.  
34.90 a Sugar 20 in. dia.  
40.00 Set q. sec. post, from which  
a Beech 18 in. dia. bears S 61 W. 42 lks. dist.  
a Do. 16 " " " N 77 E. 41 " "  
44.75 a Wh. Oak 20 in. diam.  
55.17 a Bl. Oak 12 " "  
80.00 Set post cor. to Secs. 23, 24, 25 & 26, —  
nothing further said.  
Land, level 3<sup>d</sup> rate. Timber Wh. Oak,  
Ash, Sugar, Ironwood & Hickory.

---

East Between Secs. 24 & 25.  
8.68 Intersect State line and set post.  
from which  
a Wh. Oak 54 in. dia. bears N 9 E. 17 lks. dist.  
a Hickory 12 " " " S 89 W. 21 " "  
Land, none

---

North Between Secs. 23 & 24.  
15.60 an Ironwood 6 in. diam.  
40.00 Set q. sec. post, from which  
a Wh. Oak 14 in. dia. bears N 40 E. 12 lks. dist.  
a Hickory 8 " " " S 82 W. 19 " "  
80.00 Set post cor. to Secs. 13, 14, 23 & 24, fr. wh.  
a Beech 14 in. dia. bears N 8 W. 20 lks. dist.  
a Do. 14 " " " S 80 E. 25 " "  
Land, rolling in timber same.

---

East Between Secs. 14 & 23.  
13.90 a Beech 14 in. diam.  
40.00 Set q. sec. post, a Wh. Oak 48 in. diam. for  
cor. post, from which  
a Wh. Oak 40 in. dia. bears N 45 W. 37 lks. dist.  
a Beech 15 " " " S 72 E. 42 " "  
44.60 a Brook 5 lks. wide course N.



374 T. B. N. Sec. 15 E. 2<sup>nd</sup> Mer. Ind.

clo. Mt.

49.15 a H. Oak 14 in. diam.

50.00 Set post cor. to Secs. 13, 14, 23 & 24. —

Land, level 3<sup>rd</sup> rate. Timber Beech, Ash, Oak & Elm.

East Between Secs. 13 & 24.

→ 12.75 Intersect State line and set a post from which an Elm 30 in. dia. bears S 29° W. 66 lb. dist. an Ash 12 " " " N 14° W. 5 lb. dist. Land and Timber not mentioned.

North Between Secs. 13 & 14.

21.30 an Elm 4 in. diam.

40.00 Set q. sec. post from which a Wh. Ash 18 in. dia. bears S 70° W. 14 lb. dist. & a Sugar 12 " " " N 58° E. 35 lb. dist.

80.00 Set post cor. to Secs. 11, 12, 13 & 14, for n.b. a Beech 10 in. dia. bears S 44° E. 9 lb. dist. & a Do 6 " " " N 44° W. 21 " " Land & Timber Same.

East Between Secs. 11 & 14 on true line

20.78 a Beech 20 in. diam.

40.00 Set q. sec. post, from which an Ash 20 in. dia. bears N 75° E. 16 lb. dist. & a Do. 8 " " " N 73° W. 10 " "

60.57 a Beech 14 in. dia.

69.99 a Do 12 " "

78.82 a Brook 4 lb. wide course N. E.

80.00 Sec. loc.

Land, W. p. level 3<sup>rd</sup> rate. E. 1/2 rolling Beech, Ash Sugar Hickory Ironwood & Spice. &c.

→ East Between Secs. 12 & 13.

375

S. 23. N. 14. 13 E. 2<sup>nd</sup> Mer. Ind. a

664 1/2

13.79 Intersect State line & set post. fr. wh.  
a Sugar 30 in. dia. bears S 4 E, 18 lb. dist. &  
a Beech 12 " " " N 54 W, 42 " "

North Between Sec. 11 & 12.

25.21 a Wh. Oak 14 in. diam.

40.00 Set q. sec. post, from which  
a Beech 8 in. dia. bears S 42 E, 30 lb. dist.  
an Elm 20 " " " S 43 W, 25 " "

60.10 a Wh. Oak 12 in. diam.

80.00 Set post cor. to Sec. 1, 2, 11 & 12, fr. wh.  
a Beech 16 in. dia. bears N 21 E, 18 lb. dist. &  
a Do. 12 " " " S 48 E, 40 " "  
Land &c, the same

East Between Sec. 1 & 12.

15.00 Intersect State line & set post. fr. wh.  
a Beech 28 in. dia. bears N 26 E, 29 lb. dist. &  
a Do. 12 " " " S 13 W, 17 lb. dist.

East Between Sec. 2 & 11.

8.25 a Brook 10 lb. wide course N.

25.38 a Wh. Oak 20 in. diam.

38.85 an Elm 28 in. diam.

40.00 Set q. sec. post, from which  
a Wh. Oak 28 in. dia. bears N 31 E, 11 lb. dist. &  
a Hickory " " " S 45 W, 16 " "

49.80 an Elm 23 in. dia.

61.84 a Hickory 15 in. dia.

67.00 a Road course N.

80.00 Sec cor.

Land &c, same

North Between Sec. 1 & 2.

20.10 a Beech 18 in. diam.

40.00 Set q. sec. post, from which

376 T 23 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

1st Sta.

a Beech 15 in. dia. bears N 59 W. 22 lb. dist. x

a Sugar 8 " " " S 9 E. 12 " "

63.62 a Beech 12 in. diam.:

68.58 a Stream 10 lb. wide. Course N.

84.60 Intersect North Boundary 16.59 links  
West of Cor. on State line and set  
post Cor. to Sec. 1 & 2, from which  
a Beech 15 in. dia. bears S 56 E. 14 lb. dist. x  
a Sugar 20 " " " S 69 W. 27 " "  
Land &c, the same.

---

From the intersections of the State line  
and Old Indian Boundary, measured

S 57 W Along Old Indian Boundary.

29.00 Crossed a stream 20 lb. wide C. N. W.

55.80 Intersect Town line between Towns  
22 & 23 N. R. 15 E. from which  
a Hickory 12 in. dia. bears East, 19 lb.  
an Elm 14 in. dia. " N 43 W. 25 " dist.  
Surveyed in 1822.

By John Hendricks, D. S.

I certify that the foregoing of transcript  
of the field notes of Township (T. 23 N.)  
R. 15 East 2<sup>nd</sup> Mer.  
Indian, has been compared with the  
Original and found to be correct.

Surveyor General's Office

Cincinnati, March 26. 1845.

William Johnston  
Sur. Genl.